

Historic, archived document

Do not assume content reflects current
scientific knowledge, policies, or practices.

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics
Tobacco Section.

T O B A C C O S T O C K S R E P O R T

LEAF TOBACCO HELD BY MANUFACTURERS AND DEALERS APRIL 1, 1932.

Washington, D. C.
May 14, 1932.

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13 and 14:

A-Wrappers
B-Heavy Leaf, Cutting Leaf,
and Fillers
C-Thin Leaf or Cutters
X-Lugs and Ground Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 21, 22, 23 and 24:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 31:

A-Wrappers
B-Leaf or Fillers and Tips
C-Lugs, or Cutters
X-Trash, Flyings and Spods
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as
Dull Crop
C-Thin Leaf, locally known as
Bright Crop
X-Seconds and Ground Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 35, 36 and 37:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 41

B-Binders or Tops
C-Fillers, locally known as
Wrappers or B's
X-Stemming, Farm Fillers, Ground
Leaves, and crops unsuitable
for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 42, 43 and 44:

C-Fillers, locally known as Wrappers
X-Stemming, Farm Fillers, Ground
Leaves and crops unsuitable for
sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 45:

C-Fillers
X-Stemming, Ground Leaves, and crops
unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 46:

C-Tripas or Fillers
X-Resagos, Terceros, Boliches, and
crops unsuitable for sorting.
S-Scrap (Picadura), as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 51, 52 and 53:

A-Wrappers
B-Binders, locally known as Seconds
C-Fillers, locally known as Tips or
B's
X-Stemming, Sand-Leaf Fillers,
Ground Leaves, and crops
unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 54 and 55:

B-Binders
C-Fillers, locally known as Tips or
B's
X-Stemming, Sand-Leaf Fillers,
Bottom Leaves, and crops unsuitable
for sorting
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 61 and 62:

A-Wrappers
B-Binders
C-Fillers, or Tips
X-Trashy Fillers or Loose Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

* For definitions of Scrap and Nondescript see Service and Regulatory
Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS
SUPPLEMENTAL REPORT BY GROUPS OF GRADES
APRIL 1, 1932

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Group	NEW CROP		OLD CROP		April 1	January 1
	Unstemmed :1000 lbs.	Stemmed : 1000 lbs.	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Group Totals :1000 lbs.	Group Totals : 1000 lbs.
A	6,155	-	728	-	6,883	7,132
B	87,277	4,334	1,133	652	93,396	93,519
C	81,619	5,358	1,866	206	89,049	90,949
X	141,688	23,714	2,847	172	168,421	165,156
S	10,269	33	130	127	10,559	10,094
N	382	-	5	-	387	301
Total	327,390	33,439	6,709	1,157	368,695	367,151

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED.

A	190	-	-	-	190	1,223*
B	59,183	849	265	32	60,329	70,845
C	81,655	5,192	3,413	388	90,648	101,470
X	94,883	20,594	477	1	115,955	125,463
S	6,444	65	16	-	6,525	7,259
N	370	3	-	-	373	726
Total	242,725	26,703	4,171	421	274,020	306,986

U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C.)

A	659	-	-	-	659	792
B	26,522	669	51	36	27,278	26,842
C	37,254	1,208	161	359	38,982	45,249
X	48,751	11,978	343	1	61,073	65,557
S	5,129	268	2	-	5,399	4,517
N	630	111	-	-	741	223
Total	118,945	14,234	557	396	134,132	143,180

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED

A	52	-	-	-	52	60
B	10,077	4,425	13	129	14,649	16,911
C	6,230	30,565	7	178	36,980	40,978
X	8,203	8,411	194	-	16,808	17,414
S	261	-	-	-	261	329
N	45	-	-	-	45	89
Total	24,868	43,401	219	307	68,795	75,781

* Possible error in reporting - subject to correction.
(Figures rounded to nearest thousand pounds)

U. S. TYPE 21.-VIRGINIA FIRE-CURED

Group	NEW CROP		OLD CROP		April 1.	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	1,002	-	47	-	1,049	607
B	6,781	271	3,319	-	10,371	7,066
C	2,999	79	28	-	3,106	1,817
X	22,515	552	2,742	14	25,823	20,503
S	254	-	21	-	275	297
N	86	-	1	-	87	62
Total	33,637	902	6,158	14	40,711	30,352

U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H & S)

A	2,842	-	42	-	2,884	2,204
B	74,140	224	431	-	74,795	60,158
C	9,578	41	12	-	9,631	4,803
X	25,923	1	81	2	26,010	14,976
S	868	9	17	-	894	848
N	1,165	-	-	-	1,165	572
Total	114,516	278	583	2	115,379	83,561

U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

A	314	2	-	-	316	325
B	21,796	256	69	2	22,123	16,678
C	4,733	-	-	-	4,733	2,699
X	12,507	-	17	-	12,524	8,315
S	285	1	2	-	288	278
N	116	-	-	-	116	-
Total	39,751	259	88	2	40,100	28,295

U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED

A	-	40	-	-	40	51
B	623	465	-	-	1,088	935
C	734	33	-	-	767	97
X	2,821	40	-	-	2,861	1,650
S	436	1	-	-	437	434
N	41	-	-	-	41	16
Total	4,655	579	-	-	5,234	3,183

(Figures rounded to nearest thousand pounds)

U. S. TYPE 31.-BURLEY.

Group	NEW CROP		OLD CROP		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	1,784	-	12	-	1,796	1,118
B	319,524	45,938	158	1,063	366,683	252,991
C	179,605	10,649	371	722	191,347	138,970
X	109,031	11,458	61	-	120,550	86,993
S	17,522	603	71	3	18,199	8,272
N	4,257	-	2	-	4,259	2,270
Total	631,723	68,648	675	1,788	702,834	490,614

U. S. TYPE 32.-SOUTHERN MARYLAND.

B	3,500	-	-	-	3,500	6,333
C	9,087	1,386	1	-	10,474	12,389
X	1,316	57	3	1	1,377	2,014
S	22	-	-	-	22	34
N	268	-	-	-	268	228
Total	14,193	1,443	4	1	15,641	20,998

U. S. TYPE 35.-ONE SUCKER

A	1,456	-	-	-	1,456	1,502
B	20,860	1	2	1	20,864	13,053
C	12,298	-	44	-	12,342	7,785
X	12,384	116	2	-	12,502	8,277
S	769	-	-	-	769	591
N	1,091	-	-	-	1,091	472
Total	48,858	117	48	1	49,024	31,680

U. S. TYPE 36.-GREEN RIVER

A	495	-	-	-	495	492
B	16,271	270	523	50	17,114	12,657
C	1,614	211	285	-	2,110	1,215
X	18,003	176	119	15	18,313	11,766
S	867	21	-	-	888	816
N	37	-	-	-	37	7
Total	37,287	678	927	65	38,957	26,953

U. S. TYPE 37.-VIRGINIA SUN-CURED

A	177	-	-	-	177	213
B	554	33	23	39	649	576
C	464	11	24	2	501	382
X	1,153	1,964	-	33	3,150	1,965
S	18	131	-	9	158	38
Total	2,366	2,139	47	83	4,635	3,174

(Figures rounded to nearest thousand pounds)

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF.

Group	NEW CROP		OLD CROP		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
B	1,324	5	1	2	1,332	9,707
C	78,282	4,238	1,418	102	84,040	42,808
X	24,262	4,181	794	220	29,457	13,609
S	28	204	1	2	235	185
N	-	-	-	-	-	1
Total	103,896	8,628	2,214	326	115,064	66,310

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY.

C	14,019	685	677	81	15,463	16,394
X	2,233	293	21	-	2,547	2,085
S	1	13	3	1	18	29
N	6	-	-	-	6	-
Total	16,259	992	701	82	18,034	18,508

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

C	18,273	657	826	290	20,046	18,127
X	4,238	601	-	-	4,839	3,632
S	8	17	-	-	25	37
Total	22,519	1,275	826	290	24,910	21,796

U. S. TYPE 44.-DUTCH, MIAMI VALLEY

C	9,527	75	251	-	9,853	7,281
X	2,776	1	-	-	2,777	921
S	2	29	-	-	31	66
Total	12,305	105	251	-	12,661	8,268

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	1,145	1,032	1	-	2,178	2,085
X	2	-	-	-	2	4
S	-	8	-	-	8	8
Total	1,147	1,040	1	-	2,188	2,097

U. S. TYPE 46.- PORTO RICAN SUN-GROWN

C	89	19,222	69	-	19,380	20,164
X	1,625	3,131	-	2	4,758	4,737
S	397	1,108	-	-	1,505	1,512
N	4	-	-	-	4	2
Total	2,115	23,461	69	2	25,647	26,415

(Figures rounded to nearest thousand pounds)

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF

Group	NEW CROP		OLD CROP		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	1,866	21	155	20	2,062	2,146
B	22,626	125	828	4	23,583	19,326
C	1,024	113	83	-	1,220	1,194
X	6,382	3,207	-	4	9,593	6,771
S	8	39	-	-	47	64
N	-	-	-	-	-	-
Total	31,906	3,505	1,066	28	36,505	29,501

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED

A	1,776	2	36	-	1,814	1,900
B	28,326	97	804	4	29,231	23,331
C	948	15	-	-	963	1,058
X	6,030	3,675	-	-	9,705	7,552
S	8	5	-	-	13	8
N	27	-	-	-	27	-
Total	37,115	3,794	840	4	41,753	33,849

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED

A	387	1	41	1	430	358
C	213	7	-	-	220	194
X	3,709	86	-	-	3,795	2,295
S	4	6	-	-	10	17
Total	4,313	100	41	1	4,455	2,864

U. S. TYPE 54.-SOUTHERN WISCONSIN

B	8,988	6	480	101	9,575	10,997
C	3,141	473	359	1	3,974	3,948
X	46,680	8,693	-	5	55,378	40,195
S	4	-	-	-	4	86
Total	58,813	9,172	839	107	68,931	55,226

U. S. TYPE 55.-NORTHERN WISCONSIN

B	17,087	130	893	11	18,121	19,809
C	3,095	47	219	-	3,361	3,829
X	21,830	2,345	-	-	24,175	17,055
S	7	91	-	-	98	44
N	-	-	-	-	-	1
Total	42,019	2,613	1,112	11	45,755	40,738

(Figures rounded to nearest thousand pounds)

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE

Group	New Crop		Old Crop		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	6,971	45	91	-	7,107	7,415
B	3,548	72	5	-	3,625	2,803
C	400	98	56	2	556	389
X	109	32	-	-	141	212
S	5	70	-	-	75	89
Total	11,033	317	152	2	11,504	10,908

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE

A	3,639	72	27	-	3,738	3,914
B	501	53	-	-	554	705
C	90	-	-	-	90	134
X	10	14	-	-	24	52
S	-	1	-	-	1	20
Total	4,240	140	27	-	4,407	4,825

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC

No Groups	2,270	536	52	69	2,927	2,864
-----------	-------	-----	----	----	-------	-------

U. S. TYPE 80.-FOREIGN-GROWN CIGAR LEAF TOBACCO

No Groups	5,577	3,539	123	98	14,337	14,183
-----------	-------	-------	-----	----	--------	--------

U. S. TYPE 90.-FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF

No Groups	30,641	49	5,323	513	36,526	62,520
-----------	--------	----	-------	-----	--------	--------

GRAND TOTAL ALL TYPES

	New Crop		Old Crop		Grand Total
	Unstemmed	Stemmed	Unstemmed	Stemmed	
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	
April 1, 1932	2,077,032	257,086	33,823	5,770	2,373,761
January 1, 1932	1,721,547	242,267	40,941	8,025	2,012,780

(Figures rounded to nearest thousand pounds)

(Figures are in thousands of pounds)

TYPE NAME	NEW CROPS		OLD CROPS		TOTAL		O Y		T Y P E	
	: U.S. :		: :		: :		: :		: :	
	: Type: Crops of 1928, 1929, 1930 & 1931 : : No. : UNSTEMMED : STEMMED :		: Crops prior to 1928 : : UNSTEMMED : STEMMED :		: 1000 lbs. : 1000 lbs. : : 1000 lbs. : 1000 lbs. :		: 1000 lbs. : 1000 lbs. : : 1000 lbs. : 1000 lbs. :		: 1000 lbs. : 1000 lbs. : : 1000 lbs. : 1000 lbs. :	
Old Belt Flue-cured Va. & N. C.	11	327,390	33,439	6,709	1,157	368,695	367,151	359,323	351,682	
Eastern N. C. Flue-cured	12	242,725	26,703	4,171	421	274,020	306,986	264,252	279,932	
South Carolina Flue-cured (in- cluding Southeastern N.C.)	13	118,945	14,234	557	396	134,132	143,118	125,293	139,204	
Ga. and Florida Flue-cured	14	24,868	43,401	219	307	68,795	75,781	82,479	98,165	
Total Flue-cured	--	713,928	117,777	11,566	2,281	845,042	893,098	831,347	868,983	
Virginia Fire-cured	21	33,637	902	6,158	14	40,711	30,352	38,364	33,392	
Tenn. and Ky. Fire-cured (Eastern District C.H. and S.)	22	114,516	278	583	2	115,379	83,561	122,148	79,263	
Ky. and Tenn. Fire-cured (Western District M. and P.)	23	39,751	259	88	2	40,100	28,295	32,256	21,288	
Henderson Steaming or Northern Fire-cured	24	4,655	579	-	-	5,234	3,183	8,519	3,788	
Total Fire-cured	--	192,559	2,018	6,829	18	201,424	145,391	201,287	137,131	
Burley	31	631,723	68,648	675	1,788	702,834	490,614	568,010	407,557	
Southern Maryland	32	14,193	1,443	4	1	15,641	20,998	14,615	17,038	
Total Light Air-cured	--	645,916	70,091	679	1,789	718,475	511,612	582,625	424,595	
One Sucker	35	48,858	117	48	1	49,024	31,680	48,357	29,180	
Green River	36	37,287	678	927	65	38,957	26,953	29,308	27,369	
Va. Sun-cured	37	2,566	2,139	47	83	4,635	3,174	4,709	3,855	
Total Dark Air-cured	--	88,511	2,934	1,022	149	92,616	61,807	82,374	60,404	
Pennsylvania Seedleaf	41	103,896	8,628	2,214	326	115,064	66,310	80,387	68,790	
Gebhardt (Ohio-Miami Valley)	42	16,259	992	701	82	18,034	18,508	19,030	10,490	
Zimmer (Ohio-Miami Valley)	43	22,519	1,275	826	290	24,910	21,796	27,674	14,827	
Dutch (Ohio-Miami Valley)	44	12,305	105	251	-	12,661	8,268	7,685	5,185	
Ga. and Fla. Sun-grown	45	1,147	1,040	1	-	2,188	2,097	2,223	2,033	
Porto Rican Sun-grown	46	2,115	23,461	69	2	25,547	26,415	27,932	27,284	
Total Cigar-Filler Types	--	158,241	35,501	4,062	700	198,504	143,394	164,931	128,609	
Conn. Valley Broadleaf	51	31,906	3,505	1,066	28	36,505	29,501	30,758	23,438	
Conn. Valley Havana Seed	52	37,115	3,794	840	4	41,753	33,849	42,176	32,739	
N. Y. and Pa. Havana Seed	53	4,313	100	41	1	4,455	2,864	3,558	2,837	
Southern Wisconsin	54	58,813	9,172	839	107	68,931	55,226	55,785	44,572	
Northern Wisconsin	55	42,019	2,613	1,112	11	45,755	40,738	41,730	28,719	
Total Cigar Binder Types	--	174,166	19,184	3,898	151	197,399	162,178	174,007	132,305	
Conn. Valley Shade	61	11,033	317	152	2	11,504	10,908	10,818	11,771	
Ga. and Fla. Shade	62	4,240	140	27	-	4,407	4,825	4,428	5,165	
Total Shade-grown	--	15,273	457	179	2	15,911	15,733	15,246	16,936	
Miscellaneous Domestic	70	2,270	536	52	69	2,927	2,864	2,973	2,723	
Foreign cigar leaf	80	5,577	8,539	123	98	14,357	14,183	15,656	13,689	
Foreign other than cigar leaf	90	80,641	49	5,223	513	86,526	62,520	80,332	67,301	
TOTAL ALL TYPES	--	2,077,082	257,086	33,823	5,770	2,373,761	2,012,780	2,150,778	1,853,476	

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, growers' cooperative associations, were-
housemen, brokers, holders, and owners, except (a) the original growers of tobacco (b) manufacturers who in 1931, according to the returns of the Commissioner
of Internal Revenue, manufactured less than 50,000 pounds of tobacco, less than 250,000 cigars, or less than 1,000,000 cigarettes, or (c) dealers who, on the
average had less than 50,000 pounds of leaf tobacco in stock at the end of the four quarters of 1931, pursuant to the provisions of the Tobacco Stocks and
Standards Act, approved January 14, 1929.

